

LITERATURE CITED

- Albrechtsen, B.R., H. Gardfjell, C.M. Orians, B. Murray and R.S. Fritz (2004) Slugs, willow seedlings and nutrient fertilization: intrinsic vigor inversely affects palatability. *Oikos* 105: 268-278.
- Arcand, N., J. Beachy, M. Burt, V. Costello, S. Fyrberg, M. Keir, D. Palumbo, J. Rohrer, L. Salbosa, D. Souza and D. Toibero (2002) Natural Resources Status and Management, U.S. Army Garrison Hawai'i, O'ahu Training Areas, Annual Report. The Pacific Cooperative Park Studies Unit, Honolulu, HI, 329 pp.
- Armstrong, S. (1995) Rare plants protect Cape's water supplies. *New Scientist* 11: 8.
- Arnold, G.W. (1980) The influence of odor and taste on the food preferences and food intake of sheep. *Australian Journal of Agricultural Research* 31: 657-666.
- Barker, G.M. (1999) Naturalised terrestrial Stylommatophora (Mollusca: Gastropoda). Landcare Research, Hamilton, NZ, pp. 254.
- Barker, G.M. (2001) Gastropods on land: phylogeny, diversity and adaptive morphology. pp. 1-46 in Barker, G.M. (ed.) The biology of terrestrial molluscs. CABI Publishing, New York, NY, 580 pp.
- Baskin, J.M., B.H. Davis, C.C. Baskin, S.M. Gleason and S. Cordell (2004) Physical dormancy in seeds of *Dodonaea viscosa* (Sapindales, Sapindaceae) from Hawai'i. *Seed Science Research* 14: 81-90.
- Birkett, M.A., C.J. Dodds, I.F. Henderson, L.D. Leake, J.A. Pickett, M.J. Selby and P. Watson (2004) Antifeedant compounds from three species of Apiaceae against the field slug, *Deroceras reticulatum* (Müller). *Journal of Chemical Ecology* 30: 563-576.
- Bowen, L. and D. Van Vuren (1997) Insular endemic plants lack defenses against herbivores. *Conservation Biology* 11: 1249-1254.
- Breadmore, K.N. and W.D.J. Kirk (1998) Factors affecting floral herbivory in a limestone grassland. *Acta Oecologica* 19: 501-506.
- Briner, T. and T. Frank (1998) The palatability of 78 wildflower strip plants to the slug *Arion lusitanicus*. *Annals of Applied Biology* 133: 123-133.
- Brooks, A.S., M.J. Crook, A. Wilcox and R.T. Cook (2003) A laboratory evaluation of the palatability of legumes to the field slug, *Deroceras reticulatum*. *Pest Management Science* 59: 245-251.

- Bruehlheide, H. and S. Scheidel (1999) Slug herbivory as a limiting factor for the geographical range of *Arnica Montana*. *Journal of Ecology* 87: 839-848.
- Bruegmann, M.M., V. Caraway and M. Maunder (2002) A safety net for Hawai'i's rarest plants. *Endangered Species Bulletin* 27: 8-10.
- Buckland, S.M. and J.P. Grime (2000) The effects of trophic structure and soil fertility on the assembly of plant communities: a microcosm experiment. *Oikos* 91: 336-352.
- Cates, R.G. and G.H. Orians (1975) Successional status and the palatability of plants to generalized herbivores. *Ecology* 56: 410-418.
- Christel, G., E. Johan and E. Ove (2002) Recruitment in *Dentaria bulbifera*: the roles of dispersal, habitat quality and mollusc herbivory. *Journal of Vegetation Science* 13: 719-724.
- Coblentz, B.E. and D. Van Vuren (1987) Effects of feral goats (*Capra hircus*) on Aldabra Atoll. *The Atoll Research Bulletin* 306: 1-6.
- Coomes, D.A. R.B. Allen, D.M. Forsyth and W.G. Lee (2003) Factors preventing the recovery of New Zealand forests following control of invasive deer. *Conservation Biology* 17: 450-459.
- Coley, P.D., J.P. Bryant and F.S. Chapin III (1985) Resource availability and plant antiherbivore defense. *Science* 230: 895-899.
- Cook, R.T., S.E.R. Bailey, C.R. McCrohan, B. Nash and R.M. Woodhouse (2000) The influence of nutritional status on the feeding behavior of the field slug, *Deroceras reticulatum* (Müller). *Animal Behavior* 59: 167-176.
- Cottam, D.A. (1985) Frequency-dependent grazing by slugs and grasshoppers. *Journal of Ecology* 73: 925-933.
- Cowie, R.H. (1995) Variation in species diversity and shell shape in Hawaiian land snails: In situ speciation and ecological relationships. *Evolution* 49: 1191-1202.
- Cowie, R.H. (1997) Catalog and bibliography of the nonindigenous nonmarine snails and slugs of the Hawaiian Islands. *Bishop Museum Occasional Papers* 50: 66 pp.
- Cowie, R.H. (1998) New records of nonindigenous land snails and slugs in the Hawaiian Islands. *Bishop Museum Occasional Papers* 56: 60-61.

Cowie, R.H. (1999) New records of alien nonmarine mollusks in the Hawaiian Islands. *Bishop Museum Occasional Papers* 59: 48.

Cuddihy, L.W. and C.P. Stone (1990) Alteration of Native Hawaiian Vegetation Effects of Humans, Their Activities and Introductions. Distributed by the University of Hawai'i Press, Honolulu, HI, 138 pp.

del-Val, E. and M.J. Crawley (2004) Importance of tolerance to herbivory for plant survival in a British grassland. *Journal of Vegetation Science* 15: 357-364

Dirzo, R. (1980) Experimental studies on slug-plant interactions I. The acceptability of thirty plant species to the slug *Agriolimax caruanae*. *Journal of Ecology* 68: 981-998.

Drake, D.R. (1998) Relationships among the seed rain, seed bank and vegetation of a Hawaiian forest. *Journal of Vegetation Science* 9: 103-112.

Feeny (1992) Evolution of plant chemical defense against herbivores. pp. 1-35 in Rosenthal, G.A. and M.R. Berenbaum (eds.) *Herbivores: their interactions with secondary plant metabolites*, Vol. 2: ecological and evolutionary processes. Academic Press, New York, NY, 493 pp.

Fenner, M., M.E. Hanley and R. Lawrence (1999) Comparison of seedling and adult palatability in annual and perennial plants. *Journal of Functional Ecology* 13: 546-551.

Ferguson, S.H. (2004) Effects of poisoning nonindigenous slugs in a boreal forest. *Canadian Journal of Forestry Research* 34: 449-455.

Fritz, S., C.G. Hochwender, D.A. Lewkiewicz, S. Bothwell and C.M. Orians (2001) Seedling herbivory by slugs in a willow hybrid system: developmental changes in damage, chemical defense and plant performance. *Oecologia* 129: 87-97.

Gagné, W.C. (1983) New invertebrate host associates of the greensword (*Argyroxiphium virescens*). *Proceedings of the Hawaiian Entomological Society* 24:190.

Gagné, W.C. and C.C. Christenson (1985) Conservation status of native terrestrial invertebrates in Hawai'i. pp. 105-126 in: Stone, C.P. and M.K. Scott (eds.) *Hawai'i's terrestrial ecosystems: Preservation and management*. Proceedings of a Symposium Held June 5-6, 1984 at Hawai'i Volcanoes National Park. Distributed by University of Hawai'i Press, Honolulu, HI, 616 pp.

Gagné, W.C. and L.W. Cuddihy (1999) Classification of Hawaiian plant communities. pp. 45-85 in Wagner, W.L., D.R. Herbst and S.H. Sohmer (Eds.) Manual of the flowering plants of Hawai'i revised edition. Bishop Museum Press, Honolulu, HI, 2000 pp.

Garcia, D., J.R. Obeso and I. Martinez (2005) Rodent seed predation promotes differential recruitment among bird-dispersed trees in temperate secondary forests. *Oecologia* 144: 435-446.

Gebauer, J. (2002) Survival and food choice of the grey field slug (*Deroceras reticulatum*) on three different seed types under laboratory conditions. *Journal of Pest Science* 75: 1-5.

Gelperin, A. (1975) Rapid food-aversion learning by a terrestrial mollusc. *Science* 189: 567-570.

Givnish, T.J., K.J. Sytsma, J.F. Smith and W.J. Hahn (1994) Thorn-like prickles and heterophyly in *Cyanea*: Adaptations to extinct avian browsers on Hawai'i? *Proceedings of the National Academy of Sciences* 91: 2180-2814.

Glen, D.M., M.J. Wilson, P. Brain and G. Stroud (2000) Feeding activity and survival of slugs, *Deroceras reticulatum*, exposed to the rhabditid nematode, *Phasmarhabditis hermaphrodita*: a model of dose response. *Biological Control* 17: 73-81.

Gouyon, P.H., P. Fort and G. Caraux (1983) Selection of seedlings of *Thymus vulgaris* by grazing slugs. *Journal of Ecology* 71: 299-306.

Gurevitch, J. and D.K. Padilla (2004) Are invasive species a major cause of extinctions? *Trends in Ecology and Evolution* 19: 470-474.

Hadfield, M.S. and B.S. Mountain (1980) A field study of a vanishing species, *Achatinella mustelina* (Gastropoda, Pulmonata), in the Wai'anae Mountains of O'ahu. *Pacific Science* 34: 345-358.

Hanley, M.E., M. Fenner, and P.J. Edwards (1995) The effect of seedling age on the likelihood of herbivory by the slug *Deroceras reticulatum*. *Functional Ecology* 9: 754-759.

Hanley, M.E., M. Fenner and P.J. Edwards (1996) The effect of mollusc grazing on seedling recruitment in artificially created grassland gaps. *Oecologia* 106: 240-246.

- Hanley, M.E., M. Fenner and P.J. Edwards (2002) An experimental field study of the effects of mollusc grazing on seedling recruitment and survival in grassland. *Journal of Ecology* 83: 621-627.
- Hata, T.Y., A.H. Hara and B.K.-S. Hu (1997) Molluscicides and mechanical barriers against slugs, *Vaginula plebeia* Fischer and *Veronicella cubensis* (Pfeiffer) (Stylommatophora: Veronicellidae). *Crop Protection* 16: 501-506.
- Hawkins, J.W., M.W. Lankester and R.R.A. Nelson (1998) Sampling terrestrial gastropods using cardboard sheets. *Malacologia* 39: 1-9.
- Hitchmough, J.D. (2003) Effects of sward height, gap size and slug grazing on the emergence and establishment of *Trollius europaeus* (Globeflower). *Restoration Ecology* 11: 20-28.
- Hulme, P.E. (1994) Seedling herbivory in grassland: relative impact of vertebrate and invertebrate herbivores. *Journal of Ecology* 82: 873-880.
- Hunter, P.J. (1966) The distribution and abundance of slugs on an arable plot in Northumberland. *Journal of Animal Ecology* 35: 543-557.
- Janzen, D.H. (1970) Herbivores and the number of tree species in tropical forests. *The American Naturalist* 104: 501.
- Jordeans, K., J. Scheirs, R. Verhagen and T. Backeljau (2000) Is there a geographical pattern in the breeding system of a complex of hermaphroditic slugs (Mollusca: Gastropoda: Carinarion)? *Heredity* 85: 571-579.
- Kaneshiro, K.Y. (1988) The uniqueness of Hawai'i's biota. pp. 7-10 *in*: Stone, C.P. and D.B. Stone (eds.) Conservation biology in Hawai'i. University of Hawai'i Press, Honolulu, HI, 280 pp.
- Kelly, C.K. and M.E. Hanley (2005) Juvenile growth and palatability in co-occurring, congeneric British herbs. *American Journal of Botany* 92: 1586-1589.
- Kotanen, P.M. (1995) Responses of vegetation to a changing regime of disturbance: effects of feral pigs in a California coastal prairie. *Ecography* 18: 190-197.
- Lapçik, O., B. Klejdus, L. Kokoska, L. Ladislav, M. Davidova, K. Afandi, V. Kuban and R. Hampl (2005) Identification of isoflavones in *Acca sellowiana* and two *Psidium* species (Myrtaceae). *Biochemical Systematics and Ecology* 33: 983-992.

- Loope, L.L. (1992) An overview of problems with introduced plant species in national parks and biosphere reserves of the United States. pp. 3-28 *in*: Stone, C.P., C.W. Smith and J.T. Tunison (eds.) Alien plant invasions in native ecosystems of Hawai'i: Management and research. University of Hawai'i Press, Honolulu, HI, 904 pp.
- Marquis, R.J. (1992) The selective impact of herbivores. pp. 301-325 *in* Fritz, R.S. and E.L. Simms (eds.) Plant resistance to herbivores and pathogens. University of Chicago Press, Chicago, IL, 600 pp.
- McCoy, K.D. (1999) Sampling terrestrial gastropod communities: using estimates of species richness and diversity to compare two methods. *Malacologia* 41: 271-281.
- Moles, A.T. and D.R. Drake (1999) Potential contributions of the seed rain and seed bank to regeneration of native forest under plantation pine in New Zealand. *New Zealand Journal of Botany* 37: 83-93.
- Mølgaard, P. (1986a) Food plant preferences by slugs and snails: a simple method to evaluate the relative palatability of food plants. *Biochemical Systematics and Ecology* 14: 113-121.
- Mølgaard, P. (1986b) Population genetics and geographical distribution of caffeoyl acid esters in leaves of *Plantago major* in Denmark. *Journal of Ecology* 74: 1127-1137.
- Macharia, C. and E.B. Peffley (1995) Suppression of *Amaranthus spinosus* and *Kochia scoparia*: Evidence of competition or allelopathy in *Allium fistulosum*. *Journal of Crop Protection* 14: 155-158
- Nystrand, O. and A. Granström (1997) Forest floor moisture control predator activity on juvenile seedlings of *Pinus sylvestris*. *Canadian Journal of Forestry Research* 27:1746-1752.
- National Weather Service Forecast Office (1994) Hydronet system archived data for Oahu Wai'anae gage HI-17.
<http://www.prh.noaa.gov/hnl/hydro/hydronet/hydronet-data.php>
- Peters, H.A., B. Baur, F. Bazzaz and C. Körner (2000) Consumption rates and food preferences of slugs in a calcareous grassland under current and future CO₂ conditions. *Oecologia* 125: 72-81.
- Pimentel, D., R. Zuniga and D. Morrison (2004) Update on the environmental and economic costs associated with alien-invasive species in the United States. *Ecological Economics* 52: 273-288.

- Pollard, J.P. (1992) The importance of deterrence: responses of grazing animals to plant variation. pp. 226-227 in Fritz, R.S. and E.L. Simms (eds.) Plant resistance to herbivores and pathogens. University of Chicago Press, Chicago, IL, 600 pp.
- Raffaelli, D. and A. J. Mordue (1990) The relative importance of molluscs and insects as selective grazers of acyanogenic white clover (*Trifolium repens*). *Journal of Molluscan Studies* 56: 37-45.
- Rai, J.P.N. and R.S. Tripathi (1985) Effect of herbivory by the slug, *Mariaella dussumieri*, and certain insects on growth and competitive success of two sympatric annual weeds. *Agriculture, Ecosystems and Environment* 13: 125-137.
- Rathke, B (1985) Slugs as generalist herbivores: Tests of three hypotheses on plant choice. *Ecology* 66: 828-836.
- Rollo, C. D. and D. M. Shibata (1990) Resilience, robustness, and plasticity in a terrestrial slug with particular reference to food quality. *Canadian Journal of Zoology* 69: 978-987.
- Rueda, A., R. Caballero, R. Kaminsky and K. L. Andrews (2002) Vaginulidae in Central America, with emphasis on the bean slug *Sarasinula plebeia* (Fischer). pp. 115-144 in Barker, G.M. (ed.) Molluscs as crop pests. CABI Publishing, New York, NY, 576 pp.
- Runham, N.W. and P.J. Hunter (1970) Terrestrial slugs. Hutchinson & Co. Ltd., London, UK, 184 pp.
- Ryan, B., B. Joiner and J. Cryer (2005) Minitab Handbook, Fifth Edition. Thomson Brooks/Cole, Belmont, CA, 505 pp.
- Sahley, C., J.W. Rudy and A. Gelperin (1981) An analysis of associative learning in a terrestrial mollusc. *Journal of Comparative Physiology* 144: 1-8.
- Sailer, D (2002) Slug barrier trail for *Solanum sandwicense*, *Urera kaalae* and *Schiedea kaalae*. The Nature Conservancy, Honolulu, HI, 10 pp.
- Schreiner, I.H. (1997) Demography and recruitment of selected trees in the limestone forest of Guam in relation to introduced ungulates. *Micronesica* 30: 169-181.
- Scherber, C., M.J. Crawley and S. Porembski (2003) The effects of herbivory and competition on the invasive alien plant *Senecio inaequidens* (Asteraceae). *Diversity and Distributions* 9: 415-426.

Scowcroft, P.G. and J.G. Giffin (1983) Feral herbivores suppress mamane and other browse species on Mauna Kea, Hawai'i. *Journal of Range Management* 36: 638-645.

Sessions, L. and D. Kelly (2002) Predator-mediated apparent competition between an introduced grass, *Agrostis capillaris*, and a native fern, *Botrychium australe*, in New Zealand. *Oikos* 96: 102-109.

Severns, R.M. (1981) Growth rate determinations of *Achatinella lila*, a Hawaiian USA tree snail. *Nautilus* 95: 140-144.

Siemens, D.H., S.H. Garner, T. Mitchell-Olds and R.M. Callaway (2002) Cost of defense in the context of plant competition: *Brassica rapa* may grow and defend. *Ecology* 83: 505-517.

Smith, C.W. (1992) Distribution, status, phenology, rate of spread and management of *Clidemia* in Hawai'i. pp. 241-253, in: Stone, C.P., C.W. Smith and J.T. Tunison (eds.) Alien Plant Invasions in Native Ecosystems of Hawai'i: Management and Research. Cooperative National Park Resources Studies Unit, University of Hawai'i Press, Honolulu, HI, 887 pp.

Somchit, M.N., M.R. Sulaiman, Z. Ahmad, D.A. Israf and H. Hosni (2004) Non-Opioid anti-nociceptive effect of *Psidium guajava* leaves extract. *Journal of Natural Remedies* 4: 174-178.

South, A. (1992) Terrestrial Slugs, biology, ecology and control. Chapman & Hall, London, UK, 428 pp.

Stone, C.P. (1985) Alien animals in Hawai'i's native ecosystems: toward controlling the adverse effects of introduced vertebrates. pp. 251-297 in: Stone, C.P. and M.K. Scott (eds.) Hawai'i's terrestrial ecosystems: Preservation and management. Proceedings of a Symposium Held June 5-6, 1984 at Hawai'i Volcanoes National Park. University of Hawai'i Press, Honolulu, HI, 616 pp.

Strauss, S.Y., J.A. Rudgers, J.A. Lau and R.E. Irwin (2002) Direct and ecological costs of resistance to herbivory. *Trends in Ecology and Evolution* 17: 278-285.

Swanholm, C.E., H. St. John and P.J. Scheuer (1959) A survey for alkaloids in Hawaiian plants. I. *Pacific Science* 13: 295-305.

Swanholm, C.E., H. St. John and P.J. Scheuer (1960) A survey for alkaloids in Hawaiian plants. II. *Pacific Science* 14: 68-74.

U.S. Fish and Wildlife Service (1994) Recovery plan for the Wahiawa plant cluster. U.S. Fish and Wildlife Service, Portland, OR, 51 pp + 3 pp Appendix B.

U.S. Fish and Wildlife Service (1995a) Lānaʻi plant cluster recovery plan. U.S. Fish and Wildlife Service, Portland, OR, 138 pp.

U.S. Fish and Wildlife Service (1995b) Recovery plan for the Kauaʻi plant cluster. U.S. Fish and Wildlife Service, Portland, OR, 270 pp.

U.S. Fish and Wildlife Service (1996) Recovery Plan for the Molokaʻi plant cluster. U.S. Fish and Wildlife Service, Portland, OR, 143 pp.

U.S. Fish and Wildlife Service (1997) Recovery plan for the Maui plant cluster. U.S. Fish and Wildlife Service, Portland, OR, 130 pp. + appendices.

U.S. Fish and Wildlife Service.(1998a) Kauaʻi II: addendum to the recovery plan for the Kauai plant cluster. U.S. Fish and Wildlife Service, Portland, OR, 84+pp.

U.S. Fish and Wildlife Service (1998b) Molokaʻi II: addendum to the recovery plan for the Molokai plant cluster. U.S. Fish and Wildlife Service, Portland, OR, 52 pp.

U.S. Fish and Wildlife Service (1998c) Recovery plan for Oʻahu plants. U.S. Fish and Wildlife Service, Portland, OR, 207 pp., plus appendices.

U.S. Fish and Wildlife Service (1999) Endangered and threatened wildlife and plants; final endangered status for 10 plant taxa from Maui Nui, HA. *Federal Register* 64: 48307-48324.

U.S. Fish and Wildlife Service (2005) Endangered and threatened wildlife and plants; review of native species that are candidates or proposed for listing as endangered or threatened. *Federal Register* 70: 24880-24922.

Van Vuren, D. and B.E. Coblentz (1987) Some ecological effects of feral sheep on Santa Cruz Island. *Biological Conservation* 41: 253-268.

Vitousek, P.M., C.M. D'Antonio, L.L. Loope, M. Rejmanek and R. Westbrooks (1997) Introduced species: a significant component of human-caused global change. *New Zealand Journal of Ecology* 21: 1-16.

Wagner, W.L., D.R. Herbst and S.H. Sohmer (1999) Manual of the flowering plants of Hawaiʻi revised edition. Bishop Museum Press, Honolulu, HI, 1918 pp.

Westerbergh, A. and A.B. Nyberg (1995) Selective grazing of hairless *Silene dioica* plants by land gastropods. *Oikos* 73: 289-298.

Whelan, R.J. (1982) Response of slugs to unacceptable food items. *Journal of Applied Ecology* 19: 79-87.

Wilby, A. and V.K. Brown (2001) Herbivory, litter and soil disturbance as determinants of vegetation dynamics during early old-field succession under set-aside. *Oecologia* 127: 259-265.

Wilson, M.J., L.A. Hughes, D. Jefferies and D.M. Glen (1999) Slugs (*Deroceras reticulatum* and *Arion ater* agg.) avoid soil treated with the rhabditid nematode *Phasmarhabditis hermaphrodita*. *Biological Control* 16: 170-176.