

**PACIFIC COOPERATIVE STUDIES UNIT
UNIVERSITY OF HAWAII AT MĀNOA**

Dr. David C. Duffy, Unit Leader
Department of Botany
3190 Maile Way, St. John #408
Honolulu, Hawaii 96822



Technical Report 149

**SHORELINE BIRD INVENTORIES IN THREE NATIONAL PARKS
IN HAWAII:
KALAUPAPA NATIONAL HISTORICAL PARK,
HALEAKALA NATIONAL PARK AND
HAWAII VOLCANOES NATIONAL PARK**

September 2007

Kelly Kozar¹, Roberta Swift¹, and Susan Marshall¹

¹ Pacific Cooperative Studies Unit (University of Hawaii at Manoa), NPS Inventory and Monitoring Program, Pacific Island Network, PO Box 52, Hawaii National Park, HI 96718

TABLE OF CONTENTS

List of Tables	ii
List of Figures	ii
Abstract	1
Introduction	1
Shorebirds.....	5
Seabirds.....	6
Objectives.....	7
Methods	7
Kalaupapa National Historical Park.....	7
Haleakala National Park.....	9
Hawaii Volcanoes National Park.....	9
Results	11
Kalaupapa National Historical Park.....	11
Haleakala National Park.....	14
Hawaii Volcanoes National Park.....	16
Combined Results.....	19
Discussion	20
Acknowledgements	21
Literature Cited	22

LIST OF TABLES

Table 1. Relative abundance and habitat use of seabird and shorebirds observed during Kalaupapa National Historical Park Shoreline Bird Survey	12
Table 2. Relative abundance and habitat use of seabirds and shorebirds observed during Haleakala National Park Shoreline Bird Survey	14
Table 3. Species relative abundance and habitat use in Hawaii Volcanoes National Park Shoreline Bird Survey	16
Table 4. Checklist of seabirds and shorebirds detected visually or aurally in Kalaupapa, Haleakala, and Hawaii Volcanoes National Parks during inventories in 2005	19

LIST OF FIGURES

Figure 1. Iliopi Beach, Kalaupapa National Historical Park	2
Figure 2. Okala and Huelo Islets, Kalaupapa National Historical Park	3
Figure 3. Puhilele Point, Haleakala National Park	3
Figure 4. Halape, Hawaii Volcanoes National Park	4
Figure 5. Hawaii Volcanoes National Park coastline	4
Figure 6. Map showing the shoreline bird inventory route, Kalaupapa National Historical Park	8
Figure 7. Map showing the shoreline bird survey areas, Kaapahu and Kipahulu, Haleakala National Park	9
Figure 8. Map showing the shoreline bird inventory route from Punaluu Beach Park to Laeapuki within and adjacent to Hawaii Volcanoes National Park	10
Figure 9. Map showing locations of shorebird and seabird observations in Kalaupapa National Historical Park	13
Figure 10. Map showing locations of shorebird and seabird observations in Kaapahu, Haleakala National Park	15
Figure 11. Map showing locations of shorebird and seabird observations in Kipahulu, Haleakala National Park	15
Figure 12. Map showing locations of shorebird and seabird observations along coastline adjacent to Hawaii Volcanoes National Park	17
Figure 13. Map showing shorebird and seabird observations in Hawaii Volcanoes National Park	18
Figure 14. Survey segment one, the coastline between the western boundary of Hawaii Volcanoes National Park and Punaluu Beach Park	24
Figure 15. Survey segment two, the coastline between the western boundary of Hawaii Volcanoes National Park and Na Puu o na Elemakule	25

Figure 16. Kaaha Bay, at the start of survey segment four	26
Figure 17. Periodically inundated areas adjacent to Kaaha Bay.....	26
Figure 18. Small black sand beach at Kalue Bay, at the end of survey segment four	27
Figure 19. Steep cobble berm at Kalue Bay, at the end of survey segment four	27
Figure 20. Small black sand beach at Halape.....	28
Figure 21. Small sand beach at Halape Iki	28
Figure 22. Shoreline bird habitat at the westernmost of the two bays at Keauhou	29
Figure 23. Shoreline between Keauhou and Apua Point	30
Figure 24. Anchialine pool between Keauhou and Apua Point	30
Figure 25. Areas which are apparently periodically inundated behind cobble berm between Keauhou and Apua Point	31
Figure 26. Anchialine pool between Keauhou and Apua Point	31
Figure 27. Shoreline between Keauhou and Chain of Craters Road	32
Figure 28. Algae-covered rocks used by a Ruddy Turnstone. between Apua Point and Kahue Point.....	32
Figure 29. Large tidepool used by Wandering Tattler between Apua Point and Kahue Point	33
Figure 30. Sea arches, used by Black Noddies, between Kahue Point and Chain of Craters Road	33
Figure 31. Holei sea arch, along the coastal segment of Chain of Craters Road	34